

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
SOUND SOURCES				
MICROPHONES				
CEMHH1	eMHH1	Ecler ESSENTIALS eMHH1 is an affordable handheld cardioid dynamic microphone, with a robust design that makes it ideal for voice applications. It comes with a microphone stand adapter, 6 metres XLR-XLR cable and transport bag. Dimensions 185 x 50 x 50 mm. Weight 246 g.	14 803 Ft	18 800 Ft
CEMHH2	eMHH2	Ecler ESSENTIALS eMHH2 is a professional handheld cardioid dynamic microphone, with a robust and standard design, perfect for voice applications. It comes with a microphone stand adapter and a transport bag. Dimensions 170 x 53 x 53 mm. Weight 275 g.	16 220 Ft	20 600 Ft
CEMCN1	eMCN1	Ecler ESSENTIALS eMCN1 is a condenser gooseneck cardioid microphone, with a perfect profile for message, speech and conferencing applications. Total length 35 cm. It includes anti-pop wind-screen cover.	21 575 Ft	27 400 Ft
CEMCN2	eMCN2	Ecler ESSENTIALS eMCN2 is a condenser gooseneck cardioid microphone, with a perfect profile for message, speech and conferencing applications. Total length 55 cm. It includes anti-pop wind-screen cover.	21 575 Ft	27 400 Ft
CEMBASE	eMBASE	Ecler ESSENTIALS eMBASE is a desktop connection base for the eMCN1 and eMCN2 microphones, as well as for other microphones with standard XLR connector. It includes ON / OFF switch that enables / disables the microphone signal. Dimensions 45 x 140 x 110 mm. Weight: 860g.	16 220 Ft	20 600 Ft
CEMHS1BG	eMHS1BG	Ecler ESSENTIALS eMHS1BG is a headset condenser mini-microphone with omnidirectional polar pattern, in beige colour and with a very light and comfortable format for the user. It includes 3 different connectors (compatible with main brand's microphones): mini-XLR 4-pin, mini-XLR 3pin and mini-jack, compatible with the eMWE UHF wireless belt-pack unit. It includes anti-pop wind-screen cover and transport case. Weight 19 g. / 45 g.	28 976 Ft	36 800 Ft
CEMLV1	eMLV1	Ecler ESSENTIALS eMLV1 is a LAVALIER condenser mini-microphone in black color. Cardioid polar pattern. It features a mini-XLR connector, compatible with the eMWE UHF wireless belt-pack unit. It includes an anti-pop wind-screen cover. Dimensions 40 x 35 x 35 mm. Weight 19 g.	14 173 Ft	18 000 Ft
CEMWE	eMWE	Ecler ESSENTIALS eMWE is a wireless UHF 823 - 832MHz belt-pack transmitter, compatible with the mini-XLR microphones (like the eMHS1BG, eMLV1 and eMICFIT) and the eMWR receiver. 12 parallel systems can work simultaneously without interferences. Dimensions 190 x 65 x 20 mm. Weight 121 g. It includes a transport case.	35 039 Ft	44 500 Ft
CEMWR	eMWR	Ecler ESSENTIALS eMWR is a wireless UHF 823-832MHz microphone receiver, compatible with the eMWE (belt-pack) and eMWH (handheld) microphone transmitters. 12 parallel systems can work simultaneously without interferences. It includes power supply, rack-mount kit, antennas and unbalanced jack-jack cable. Dimensions 48 x 215 x 180 mm. Weight 1080 g.	61 969 Ft	78 700 Ft
CEMWH	eMWH	Ecler ESSENTIALS eMWH is a wireless UHF 823-832MHz handheld microphone transmitter, compatible with the eMWR receiver. Dimensions 260 x 55 x 55 mm. Weight 410 g. It includes a transport bag.	36 378 Ft	46 200 Ft
CEMICFIT	eMICFIT	Ecler ESSENTIALS eMICFIT is a headset condenser omnidirectional microphone including a water and sweat resistant treatment, ideal for sports and fitness applications. It features a mini-XLR connector, compatible with the eMWE UHF wireless belt-pack unit. Dimensions 75 x 210 x 150 mm. Weight 45 g. It includes a transport case.	47 165 Ft	59 900 Ft
AUDIO PLAYERS				
CEPLAYER1	ePLAYER1	Ecler ePLAYER1 is a compact audio player with a stereo output that can play music contents from local storage media (USB/SD card), Internet streams or digital sharing streams (DLNA and Airplay compatible). It includes Ethernet port, WiFi connection, USB and SD reader slots, front panel LCD display and local controls. Dimensions 241 x 44 x 152mm (install 2 ePLAYER1 in 1RU with 1UHRMKIT accessory). Weight 680 g.	81 496 Ft	103 500 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CDUONTPLAYER	DUONET PLAYER	Ecler DUO-NET PLAYER is a double audio sound source that features full EclerNet compatibility (UCP control system, WPMSCREEN remote management, TP-NET protocol, etc.). It includes 2 independent stereo media players, each one being able to play Internet audio streams and local (USB/SD) or networked audio media. The device have 2 Euroblock line level balanced outputs, remote control, priority (messages, warnings) and 4 GPI ports to trigger events. Dimensions 482 x 44(1RU) x 250mm. Weight 4,2 kg	212 598 Ft	270 000 Ft
CESASBT	eSAS-BT	Ecler eSAS-BT is a stereo audio source including FM tuner, USB slot, SD slot and Bluetooth connection. It performs unbalanced and balanced stereo audio outputs and headphones output (jack) with volume control in frontal panel. IR remote control, FM antenna, 2x RCA cables and rack-mount bracket included. Dimensions 482 x 44(1RU) x 132mm. Weight 1,4 kg	48 504 Ft	61 600 Ft
ANALOGUE PREAMPLIFIERS & MIXERS				
INSTALLATION PREAMPS & MIXERS				
CGENIO	GENIO	Ecler GENIO is an analogue audio balancer, receptor and emitter device (2 channel for sending + 2 channels for receiving). Admits connecting MIC/LINE input balanced or unbalanced signals by incorporating Combo connectors RCA and mini-jack. The input signals are balanced then processed (sum, stereo to mono conversion) and sent to another GENIO device acting as a remote receiver by means of using a CAT5 cable or higher. This configuration allows installing long distance cabling. Those signals are balanced and available in the same GENIO unit using Euroblock connectors. Each GENIO unit can perform simultaneously as emitter and receptor which means 2 signals could be sent and received at the same time in each unit.	Árazás alatt	Árazás alatt
SAM SERIES				
CESAM402	eSAM402	Ecler ESSENTIALS eSAM402 is an installation audio mixer in standard rack format, featuring 3 MIC/LINE ST inputs, 1 LINE ST input, 1 main mix balanced output and one AUX/REC additional output. It includes a 3 band tone control section, Talkover (priority) function assignable to each MIC/LINE input over the mix bus, 18V phantom power for all mic inputs, ST/MONO mix switch and MUTE port for external dry contact triggering. Dimensions 482.6 x 44(1RU) x 120 mm. Weight 1,7 kg	74 094 Ft	94 100 Ft
CESAM702	eSAM702	Ecler ESSENTIALS eSAM702 is an installation audio mixer in standard rack format, featuring 6 MIC/LINE ST inputs, 1 LINE ST input, 1 main mix balanced output and one AUX/REC additional output. It includes a 3 band tone control section, Talkover (priority) function assignable to each MIC/LINE input over the mix bus, 18V phantom available for all mic inputs, ST/MONO mix switch and MUTE port for external dry contact triggering. Dimensions 482.6 x 44(1RU) x 120 mm. Weight 1,8 kg	97 638 Ft	124 000 Ft
CESAM603	eSAM603	Ecler ESSENTIALS eSAM603 is an 6 inputs and 3 outputs installation audio mixer. Inputs: 1x MIC, 4x MIC/LINE ST, 1x LINE ST. Outputs: 1x ST (A/B) and 1x MONO (C). A/B output can operate in ST/MONO mode. Each input can be routed to output A, B and/or C. It includes a 3 band tone control section, talkover (priority) function assignable to each input over the mix bus, ST/MONO mix switch for A/B output and MUTE port for external dry contact triggering. Dimensions 482.6x44(1RU)x120 mm. Weight 2,1 kg	101 654 Ft	129 100 Ft
CSAM412T	SAM412T	Ecler SAM412T is an installation mixer in standard rack format. It includes 4 MIC / ST LINE inputs, 2 outputs (1 balanced stereo, 1 stereo) and 1 REC output, independent 3 band tone control per each input, Talkover (priority) function and external MUTE connection port. Dimensions 482.6x44(1RU)x195 mm. Weight 2,4 kg	121 181 Ft	153 900 Ft
CSAM612T	SAM612T	Ecler SAM612T is an installation audio mixer in standard rack format, featuring 6 MIC/LINE ST inputs + 1 ST MIX input and 1 stereo balanced output. Each input has a dedicated 3-band tone control and 18V phantom power for MIC inputs. Input 1 includes talkover (priority) function over the mix bus and additional front panel jack connector. Main output ST/MONO mode switch and MUTE port for external dry contact triggering. Dimensions 482.6x44(1RU)x120 mm. Weight 2,0 kg	139 370 Ft	177 000 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
COMPACT SERIES				
CECOMPACT4BT	eCOMPACT4BT	Ecler eCOMPACT4BT is a desktop/19" rack installation mixer. INS: 4 mic with switchable HP-filter and Phantom power 48V; 6 line ST; Bluetooth® connex; aux (mini-jack). OUTS: main balanced (XLR) with ST/mono switch; SUB OUT mono (XLR) with switchable LP-filter; alternative ALT (RCA); headphones (mini-Jack). 3 Band tone Ctrl and ALT OUT (alternative output) send per channel on all channels; Talkover (CH4) with mic input (combo) and USB charging port. It includes power supply and rack-mount kit.	154 724 Ft	196 500 Ft
CCOMPACT8	COMPACT8	Ecler COMPACT8 is a versatile laptop and 19" installation mixer, especially targeted to both non technical and expert users. Includes 12 ST LINE inputs, 8 MIC inputs + 1 at the front panel, 3 PHONO/LINE inputs, Talkover function, PFL and phantom power. It has 1 balanced stereo XLR output, 1 RCA output, 1 REC output and 1 headphones output in the front panel. Dimensions 482.6x177x221.6 mm. Weight 5.2kg	259 213 Ft	329 200 Ft
DJ MIXERS				
CNUO20	NUO2.0	Ecler NUO 2.0 is a 2 channel analogue mixer addressed to the professional DJ of any kind, in despite of the mixed music style. Includes Isolator kill filters, FX send/return, MIC input, balanced XLR and unbalanced RCA main output. Also booth and headphones output. Dimensions 370x165x80 mm. Weight 3kg	107 165 Ft	136 100 Ft
CNUO40	NUO4.0	Ecler NUO 4.0 is a 4 channel analogue mixer addressed to the professional DJ of any kind, in despite of the mixed music style. Includes PRE/POST FX send/return, MIC input, balanced XLR and unbalanced RCA main output. Also booth and headphones output. Dimensions 370x320x80 mm. Weight 4.8kg	159 685 Ft	202 800 Ft
DIGITAL MATRIXES & PROCESSORS				
DIGITAL MATRIXES				
CDN44BOB	DN44BOB	Ecler DN44BOB is a 4 inputs/4 outputs DANTE (Audio Over IP) Break Out Box. It allows to convert 4 analogue audio signals into 4 DANTE channels and send them into an Ethernet LAN, as well as to take 4 DANTE channels from the Ethernet network and convert them to analogue audio signals. It includes 4 GPI (0-10VDC) and 4 GPO control ports (NO/NC relays). Can be used together with EclerNet DANTE ready products or as a stand-alone DANTE interface. Dimensions 241 x 44(1RU) x 152 mm. Weight 1.1 kg	236 142 Ft	299 900 Ft
CDAM614	DAM614	Ecler DAM614 is a fully programmable audio digital mixer. It includes 6 audio inputs (2x LINE ST + 4x LINE/MIC being possible to use them independently (mono) or as stereo-coupled inputs) and 4 audio outputs (can be used as mono or stereo zones). Phantom power, front panel inputs and outputs level controls, DSP processing, RS-232 connectivity (compatible with EclerCOMM/CANET) and 4 REMOTE control ports (0-10VDC). Dimensions 482.6 x 44(1RU) x 120 mm. Weight 2.00 kg	217 323 Ft	276 000 Ft
MIMO SERIES				
CMIMO4040DN	MIMO4040DN	MIMO4040DN is a digital matrix with native processing of 40 inputs and 40 outputs (8 analogue inputs, 8 analogue outputs, 32 Dante™ inputs and 32 Dante™ outputs). Incorporating audio over IP technology, MIMO4040DN allows signal transmission using a Local Ethernet network. It features accessories from WPNET Series connected by Ethernet. MIMO4040DN is also capable of executing EclerNet projects thanks to its processor acting as a UCP server. Dimensions 482,6x44x266,5mm. Weight 3.25 kg	937 008 Ft	1 190 000 Ft
CMIMO88	MIMO88	Ecler MIMO88 is an 8 balanced MIC/LINE inputs / 8 balanced outputs + 2 monitor outputs digital audio matrix, fully programmable through EclerNet Manager and linkable to a second unit to become a 16x16 matrix. Includes 8 GPI and 8 GPO ports. DSP processing: Parametric EQ & filters for each channel, delays, compressor/limiter, paging, priority, automatic mix (MIMO Firmware) and remote control via UCP or WPmSCREEN. Dimensions 482.6 x 44 x 266.5 mm. Weight 3.5 kg	542 520 Ft	689 000 Ft
CMIMO88SG	MIMO88SG	Ecler MIMO88SG (MIMO88 SINGLE) is an 8 balanced MIC/LINE inputs / 8 balanced outputs digital audio matrix, fully programmable through EclerNet Manager. Includes 8 GPI ports. DSP processing: Parametric EQ & filters for each channel, delays, compressor/limiter, paging, priority, automatic mix (MIMO Firmware) and remote control via UCP or WPmSCREEN. Dimensions 482.6 x 44 x 266.5 mm. Weight 3.5 kg	353 543 Ft	449 000 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CMIMO1212SG	MIMO1212SG	Ecler MIMO1212SG (MIMO1212 SINGLE) is an 12 balanced MIC/LINE inputs / 12 balanced outputs digital audio matrix, fully programmable through EclerNet Manager. Includes 12 GPI ports. DSP processing: Parametric EQ & filters for each channel, delays, compressor/limiter, paging, priority, automatic mix (MIMO Firmware) and remote control via UCP or WPmSCREEN. Dimensions 1RU x 266,5mm depth. Weight 3,5 kg	448 031 Ft	569 000 Ft
CEMIMO1616	eMIMO1616	Ecler ESSENTIALS eMIMO1616 is a digital audio matrix with 16 input and 16 output analogue channels. Inputs: 4 x MIC/MONO LINE, 4 x ST LINE and 8 x MONO LINE received on the unit's REMOTE ports, from eMCONTROL1 panels. 2 ports for pager consoles. 2 audio signal priority levels (talkover/pager). Programming by integrated web server and standard web navigator. Remote control with the free eMIMO pilot app (Android and iOS). HxWxD: 88 (2RU) x 482,6 x 200mm. Weight 3,7 kg	309 685 Ft	393 300 Ft
DIGITAL AUDIO MANAGERS				
NXA SERIES				
CNXA480	NXA 4-80	Ecler NXA4-80 is a 4 in/4 out self-powered digital manager that stays halfway between a digital matrix and a class D multichannel amplifier (4 x 85W @ 4Ω RMS). Includes a powerful DSP processor, auto stand-by function, convection cooling, health self-test mode function and 4 GPI ports. Compatible with EclerNet Manager platform and UCP remote control system. Dimensions 482.6 x 88 x 373 mm. Weight 9.2 kg	298 425 Ft	379 000 Ft
CNXA4200	NXA 4-200	Ecler NXA4-200 is a 4 in /4 out self-powered digital manager that stays halfway between a digital matrix and a class D multichannel amplifier (4 x 202W @ 4Ω RMS). Includes a powerful DSP processor, auto stand-by function, convection cooling, health self-test mode function and 4 GPI ports. Compatible with EclerNet Manager platform and UCP remote control system. Dimensions 482.6 x 88(2RU) x 373 mm. Weight 12.6 kg	392 913 Ft	499 000 Ft
CNXA4400	NXA 4-400	Ecler NXA4-400 is a 4 in /4 out self-powered digital manager that stays halfway between a digital matrix and a class D multichannel amplifier (4 x 416W @ 4Ω RMS). Includes a powerful DSP processor, auto stand-by function, convection cooling, health self-test mode function and 4 GPI ports. Compatible with EclerNet Manager platform and UCP remote control system. Dimensions 482.6 x 88(2RU) x 373 mm. Weight 16.0 kg	550 394 Ft	699 000 Ft
CNXA680	NXA 6-80	Ecler NXA6-80 is a 6 in /6 out self-powered digital manager that stays halfway between a digital matrix and a class D multichannel amplifier(6 x 84W @ 4Ω RMS). Includes a powerful DSP processor, auto stand-by function, convection cooling, health self-test mode function and 6 GPI ports. Compatible with EclerNet Manager platform and UCP remote control system. Dimensions 482.6 x 88(2RU) x 373 mm. Weight 10.2 kg	361 417 Ft	459 000 Ft
CNXA6200	NXA 6-200	Ecler NXA6-200 is a 6 in /6 out self-powered digital manager that stays halfway between a digital matrix and a class D multichannel amplifier (6 x 218W @ 4Ω RMS). Includes a powerful DSP processor, auto stand-by function, convection cooling, health self-test mode function and 6 GPI ports. Compatible with EclerNet Manager platform and UCP remote control system. Dimensions 482.6 x 88(2RU) x 373 mm. Weight 14.1 kg	503 150 Ft	639 000 Ft
DIGITAL PROCESSORS				
ALMA SERIES				
CALMA24	ALMA24	Ecler ALMA24 is a digital loudspeaker manager including 2 audio inputs and 4 audio outputs (all balanced), USB interface and 2 volume remote control ports (0-10VDC). Includes DSP processor 24bits/48kHz, parametric EQ, 3 crossover types, 20 user presets and password protection. ALMA24 is a 1RU stand-alone processor and EclerCOMM Manager compatibility. Dimensions 482.6 x 44 x 120 mm. Weight 1.75 kg	150 787 Ft	191 500 Ft
CALMA26	ALMA26	Ecler ALMA26 is a digital loudspeaker manager including 2 audio inputs and 6 audio outputs (all balanced), USB interface and 2 volume remote control ports (0-10VDC). Includes DSP processor 24bits/48kHz, parametric EQ, 3 crossover types, 20 user presets and password protection. ALMA24 is a 1RU stand-alone processor and EclerCOMM Manager compatibility. Dimensions 482.6 x 44 x 120 mm. Weight 1.75 kg	196 220 Ft	249 200 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
AMPLIFIERS				
LOW IMPEDANCE AMPLIFIERS (8/4/2Ω)				
eLPA SERIES				
CELPA2350	eLPA2-350	Ecler ESSENTIALS eLPA2-350 is a stereo amplifier delivering 2 x 345 WRMS @ 4Ω. Have 2 XLR balanced inputs, 2 Speakon® and terminal type connection outputs. Ultra light and versatile format. Built in crossover (150Hz), permanently activated anti-clip circuit and efficient progressive ventilation system. 2 Bridged Channels @ 8 Ω 560 WRMS. Dimensions 482.6 x 88(2RU) x 266 mm. Weight 5.50 kg	128 583 Ft	163 300 Ft
CELPA2650	eLPA2-650	Ecler ESSENTIALS eLPA2-650 is a stereo amplifier delivering 2 x 630 WRMS @ 4Ω. Have 2 XLR balanced inputs, 2 Speakon® and terminal type connection outputs. Ultra light and versatile format. Permanently activated anti-clip circuit and efficient progressive ventilation system. 2 Bridged Channels @ 8 Ω 1220 WRMS. Dimensions 482.6 x 88(2RU) x 266 mm / 6.00kg	153 543 Ft	195 000 Ft
CELPA2950	eLPA2-950	Ecler ESSENTIALS eLPA2-950 is a stereo amplifier delivering 2 x 950 WRMS @ 4Ω. Have 2 XLR balanced inputs, 2 Speakon® and terminal type connection outputs. Ultra light and versatile format. Permanently activated anti-clip circuit and efficient progressive ventilation system. 2 Bridged Channels @ 8 Ω 1840 WRMS. Dimensions 482,6 x 88(2RU)x 266 mm. Weight 6,15 kg	197 953 Ft	251 400 Ft
CELPA21400	eLPA2-1400	Ecler ESSENTIALS eLPA2-1400 is a stereo amplifier delivering 2 x 1400 WRMS @ 4Ω. Have 2 XLR balanced inputs, 2 Speakon® and terminal type connection outputs. Ultra light and versatile format. Permanently activated anti-clip circuit and efficient progressive ventilation system. 2 Bridged Channels @ 8 Ω 2600 WRMS. Dimensions 482,6 x 88(2RU) x 304 mm. Weight 6,35 kg	211 417 Ft	268 500 Ft
eGPA SERIES				
CEGPA2150	eGPA2-150	Ecler ESSENTIALS eGPA2-150 is a stereo, 2x150 WRMS @ 4 Ω, high efficiency amplifier (class D). Auto stand-by function, fanless design 100% silent. 2 Bridged Channels @ 8Ω 280 WRMS. Dimensions 440 x 44(1RU) x 161 mm. Weight 2.60 kg	95 591 Ft	121 400 Ft
CEGPA2300	eGPA2-300	Ecler ESSENTIALS eGPA2-300 is a 2x310 WRMS @ 4 Ω, high efficiency stereo amplifier (class D). Auto stand-by function, fanless design 100% silent. 2 Bridged Channels @ 8Ω 600 WRMS. Dimensions 440 x 44(1RU) x 221 mm. Weight 3.40 kg	134 016 Ft	170 200 Ft
CEGPA4150	eGPA4-150	Ecler ESSENTIALS eGPA4-150 is a 4x150 WRMS @ 4 Ω, high efficiency multichannel amplifier (class D). Auto stand-by function, fanless design 100% silent. 2 Bridged Channels @ 8Ω 280 WRMS. Dimensions 482.6 x 44(1RU) x 221 mm. Weight 3.60 kg	137 402 Ft	174 500 Ft
CEGPA8150	eGPA8-150	Ecler ESSENTIALS eGPA8-150 is an 8x150 WRMS @ 4 Ω, high efficiency multichannel amplifier (class D). Auto stand-by function, fanless design 100% silent. 2 Bridged Channels @ 8Ω 280 WRMS. Dimensions 482.6 x 44(1RU) x 341 mm. Weight 6 kg	258 583 Ft	328 400 Ft
GPA SERIES				
CGPA2400	GPA2-400	Ecler GPA2-400 is a stereo amplifier delivering 2 x 360 WRMS @ 4 Ω, and ready to drive 506 WRMS @ 2,66Ω loudspeaker loads (3 x 8 Ω loudspeakers in parallel, per channel). True green profile: high efficiency, auto stand-by function, 100% silent fanless design. 2 remote volume control ports and bridge mode 2 channels @ 8Ω 650 WRMS. Dimensions 482.6 x 88(2RU) x 373 mm. Weight 10.8 kg.	219 685 Ft	279 000 Ft
CGPA2800	GPA2-800	Ecler GPA2-800 is a stereo amplifier delivering 2 x 720 WRMS @ 4 Ω, and ready to drive 1000WRMS @ 2Ω loudspeaker loads (4 x 8 Ω loudspeakers in parallel, per channel). True green profile: high efficiency, auto stand-by function, 100% silent fanless design. 2 remote volume control ports and bridge mode 2 Channels @ 8Ω 1150 WRMS. Dimensions 482.6 x 88(2RU) x 373 mm. Weight 10.8 kg	312 835 Ft	397 300 Ft
DPA SERIES				
CDPA2000	DPA2000	Ecler DPA2000 is a stereo amplifier delivering 2 x 940 WRMS @ 4 Ω, and ready to drive 1420 WRMS @ 2Ω loudspeaker loads (4 x 8 Ω loudspeakers in parallel, per channel). It features Ecler's SPM proprietary technology and optional in-bay ALMAcard DSP module. Includes Stack outputs. Bridge mode @ 8Ω 1880 WRMS. Dimensions 482.6 x 88(2RU) x 470 mm. Weight 22.7 kg	511 260 Ft	649 300 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CDPA4000T	DPA4000T	Ecler DPA4000T is a stereo amplifier delivering 2 x 1900 WRMS @ 4 Ω, and ready to drive 2800 WRMS @ 2Ω loudspeaker loads (4 x 8 Ω loudspeakers in parallel, per channel). It features Ecler's SPM proprietary technology and optional in-bay ALMAcard DSP module. Includes Stack outputs. Bridge mode @ 8Ω 3760 WRMS. Dimensions 482.6 x 132.5(3RU) x 532 mm. Weight 34.1 kg	986 063 Ft	1 252 300 Ft
HIGH IMPEDANCE AMPLIFIERS (70/100V)				
HZA SERIES				
CHZA470F	HZA4-70F	Ecler HZA4-70F is a four MERGING channel amplifier with direct 4 x 70 WRMS @ 100V line (high impedance) outputs. Every 2, 3 or 4 adjacent channels can be merged, adding their output power and managing as a single merged channel: 1x 70WRMS, 2x 140WRMS, 3x 210WRMS, 4x 280WRMS. High efficiency and improved low-end frequency response. Includes 4 remote volume control ports, auto stand-by function and convection cooling 100% silent. Dimensions 482.6 x 88(2RU) x 392 mm. Weight 12.75 kg	258 268 Ft	328 000 Ft
CHZA4120F	HZA4-120F	Ecler HZA4-120F is a four MERGING channel amplifier with direct 4 x 120 WRMS @ 100 V line (high impedance) outputs. Every 2, 3 or 4 adjacent channels can be merged, adding their output power and managing as a single merged channel: 1x 120WRMS, 2x 200WRMS, 3x 290WRMS, 4x 360WRMS. High efficiency and improved low-end frequency response. Includes 4 remote volume control ports, auto stand-by function and convection cooling 100% silent. Dimensions 482.6 x 88(2RU) x 392 mm. Weight 13.60 kg	323 386 Ft	410 700 Ft
eHSA SERIES				
CEHSA2150	eHSA2-150	Ecler ESSENTIALS eHSA2-150 is a stereo amplifier with 2 x 150 WRMS @ 70/100V (high impedance) powered outputs. Its noiseless convection cooling, a very high efficiency and its auto stand-by function provide this amplifier with a true green profile. Dimensions 440 x 44(1RU) x 221mm. Weight 6.05 kg	140 787 Ft	178 800 Ft
CEHSA2250	eHSA2-250	ECLER ESSENTIALS eHSA2-250 is a multichannel amplifier with 2 x 250 WRMS @ 100V (high impedance) powered outputs. Includes 2 mono balanced inputs (Euroblock terminals) with stack outputs. Dispose of selectable HPF, thermal and overload protection, anti-clip system, and volume control trimmers on rear panel. Dimensions 482.6 x 88(2RU) x 365mm. Weight 6.2kg	188 110 Ft	238 900 Ft
CEHSA2500	eHSA2-500	ECLER ESSENTIALS eHSA2-500 is a multichannel amplifier with 2 x 500 WRMS @ 100V (high impedance) powered outputs. Includes 2 mono balanced inputs (Euroblock terminals) with stack outputs. Dispose of selectable HPF, thermal and overload protection, anti-clip system, and volume control trimmers on rear panel. Dimensions 482.6 x 88(2RU) x 365mm. Weight 6.3kg	222 441 Ft	282 500 Ft
CEHSA4150	eHSA4-150	Ecler ESSENTIALS eHSA4-150 is a multichannel amplifier with 4 x 150 WRMS @ 70/100V (high impedance) powered outputs. Its noiseless convection cooling, a very high efficiency and its auto stand-by function provide this amplifier with a true green profile. Dimensions 440 x 44(1RU) x 341mm. Weight 10.5 kg	215 433 Ft	273 600 Ft
CEHSA4250	eHSA4-250	ECLER ESSENTIALS eHSA4-250 is a multichannel amplifier with 4 x 250 WRMS @ 100V (high impedance) powered outputs. Includes 2 mono balanced inputs (Euroblock terminals) with stack outputs. Dispose of selectable HPF, thermal and overload protection, anti-clip system, and volume control trimmers on rear panel. Dimensions 482.6 x 88(2RU) x 373mm. Weight 7 kg	293 071 Ft	372 200 Ft
CEHSA4500	eHSA4-500	ECLER ESSENTIALS eHSA4-500 is a multichannel amplifier with 4 x 500 WRMS @ 100V (high impedance) powered outputs. Includes 2 mono balanced inputs (Euroblock terminals) with stack outputs. Dispose of selectable HPF, thermal and overload protection, anti-clip system, and volume control trimmers on rear panel. Dimensions 482.6 x 88(2RU) x 365mm. Weight 7.6 kg	321 496 Ft	408 300 Ft
HSA SERIES				
CHSA300	HSA300	Ecler HSA300 is a single channel amplifier with direct 100 V line (high impedance) output (1x 302WRMS). It's equipped with Ecler's proprietary SPM 100 Technology - Channel N, which allows for 100 V speaker lines connection without using 100 V line transformers. This fact has many advantages, being the main ones: getting higher efficiency and improved low-end frequency response. Euroblock connectors, balanced audio input. Dimensions 482.6 x 88(2RU) x 285mm. Weight 8.4 kg	170 472 Ft	216 500 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CHSA2400	HSA2-400	Ecler HSA2-400 is a stereo amplifier with low and high impedance powered outputs (2x400WRMS). Supports low impedance loudspeaker loads down to 2,66 Ω(506 WRMS). Includes 2 balanced inputs (XLR and Euroblock), 2 remote volume ports and Euroblock outputs. True green profile: auto stand-by function and noiseless convection cooling. Dimensions 482.6 x 88(2RU) x 373 mm. Weight 16.4 kg	271 181 Ft	344 400 Ft
CHSA2400ES	HSA2-400ES	Ecler HSA2-400ES is a stereo amplifier with low and high impedance powered outputs (2x400WRMS). Supports low impedance loudspeaker loads down to 2,66 Ω(506 WRMS). Includes 2 balanced inputs (XLR and Euroblock), 2 remote volume ports and Euroblock outputs. True green profile(Energy Star® Certification): auto stand-by function and noiseless convection cooling. Dimensions 482.6 x 88(2RU) x 373 mm. Weight 16.4 kg	311 260 Ft	395 300 Ft
MIXING AMPLIFIERS				
CCA200Z	CA200Z	Ecler CA200Z is a compact digital mixing amplifier 2 x 70 WRMS @ 4Ω with 2 output zones and 6 audio inputs. STEREO, MONO, BRIDGE or independent ZONES A/B working mode. Remote control included + 2 remote control ports (selection and volume) + RS232 (EclerCOMM and CA-NET compatible) + 2 level pager/talkover priority system. Auto stand-by function. Dimensions 210 x 230 x 88 mm. Weight 2.34 kg Compatible with 2UHRMKIT Rack Mount Kit.	136 693 Ft	173 600 Ft
eHMA SERIES				
CEHMA60	eHMA60	Ecler ESSENTIALS eHMA60 is a powered audio mixer including 1 MIC input and two MIC/LINE ST inputs. It features a 60W powered output that supports both low (4 Ω) and high impedance (70/100V) loudspeaker lines. It also includes an audio priority system, phantom power, 2 band tone control, auto stand-by mode, MUTE port and universal power supply unit (24 VDC IN).Dimensions 200x44x150 mm. Weight 1.9kg Compatible with the 1UHRMKIT Rack Mount Kit.	77 480 Ft	98 400 Ft
CEHMA120	eHMA120	Ecler ESSENTIALS eHMA120 is a self-powered audio mixer including 3x MIC/LINE ST and 1x LINE ST input. It features a 95W powered mono output that supports both low (4Ω) and high impedance (70/100V) loudspeaker lines, with 2-ZONE ON/OFF switches. Includes audio priority system, pager (1 zone), phantom, 2 band tone control, auto stand-by, MUTE port and universal power supply unit (compatible with 24 VDC IN). Dimensions 435x44x120 mm. Weight 2.9kg Compatible with the 1UHRMKIT Rack Mount Kit.	103 701 Ft	131 700 Ft
CEHMA240	eHMA240	Ecler ESSENTIALS eHMA240 is a self-powered audio mixer including 2 MIC, 2 MIC/LINE ST and 2 LINE ST inputs. It features a 240W powered mono output that supports both low (4 Ω) and high impedance (70/100V) loudspeaker lines, with 4-ZONE ON/OFF switches. Includes an audio priority system, Pager (1 zone), phantom power, remote control port (WPm), AUX/REC output, 2 band tone control, auto stand-by mode and MUTE port. Dimensions 435x88x200mm. Weight 6.5kg Compatible with the 2UHRMKIT Rack Mount Kit.	148 819 Ft	189 000 Ft
HMA SERIES				
CHMA120	HMA120	Ecler HMA120 is a self-powered mixer including an integrated media player (USB,SD) and 5 external audio inputs: 3 x LINE ST, 1 MIC/LINE and 1 MIC. It features a 120W powered output that supports both low (4Ω) and high impedance (70/100V) loudspeaker lines. It also includes a 2 level priority system, auto stand-by mode, 2 band control tone, AUX OUT and a remote control port WPm series compatible. Dimensions 210 x 88 x 230 mm. Weight 5.95 kg Compatible with the 2UHRMKIT Rack Mount Kit.	122 520 Ft	155 600 Ft
COMPACT AMPLIFIERS				
CEWAMPBTPLUS	eWAMPBT+	Ecler ESSENTIALS eWAMPBT+ is a stereo compact wall amplifier 2x10 WRMS @ 8Ω including an integrated media player (USB and uSD slots), FM tuner and Bluetooth receiver, together with 1 x Stereo AUX input and 1 x Stereo AUX output. Infrared remote control and wall-mount box included (Check possibility and term of bluetooth connection reprogramming) . Dimensions 86x86x38mm. Weight 140 g.	39 134 Ft	49 700 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CA SERIES				
CCA40	CA40	Ecler CA40 is a 2 x 20 WRMS @ 4Ω stereo compact amplifier with a balanced MIC input (includes phantom power, Talkover and noise gate) and 2 LINE inputs. 3 output modes (STEREO, PARALLEL and BRIDGE) and AUX output. 2 band control tone, IR remote control included, serial RS-232 port (EclerCOMM and CA-NET compatible) and 0-10 VDC remote port for WpM wall panel series (volume and source selection). Auto-standby function and MUTE port. Dimensions 155 x 155 x 45 mm. Weight 0.65 kg	68 031 Ft	86 400 Ft
CCA120	CA120	Ecler CA120 is a 2 x 60 WRMS @ 4Ω stereo compact amplifier with a MIC/LINE input (includes phantom power, Talkover and noise gate) and 2 LINE inputs. AUX output. Control features: 2 band control tone, IR remote control included, serial RS-232 port (EclerCOMM and CA-NET compatible) and 0-10 VDC remote port for WpM wall panel series (volume and source selection). Auto-standby function and MUTE port. Dimensions 160 x 210 x 48 mm. Weight 0.95 kg	93 622 Ft	118 900 Ft
CCA120HZ	CA120HZ	Ecler CA120HZ is the high impedance version of the CA120, delivering 120W @ 70/100V line level, with a MIC/LINE input (includes phantom power, Talkover and noise gate) and 2 LINE inputs. AUX output. Control features: 2 band control tone, IR remote control included, serial RS-232 port (EclerCOMM and CA-NET compatible) and 0-10 VDC remote port for WpM wall panel series (volume and source selection). Auto-standby function and MUTE port. Dimensions 160 x 325 x 48 mm. Weight 2.92 kg	111 102 Ft	141 100 Ft
eCA SERIES				
CECA120	eCA120	Ecler ESSENTIALS eCA120 is a 2 x 60 WRMS @ 4 Ω stereo micro-amplifier, in a very compact format and a light and silent (fanless) design. It features 1 LINE ST input (RCA/Euroblock), AUTO STANDBY function and volume remote control, compatible with Ecler WpMVOL and WpMVOL-SR wall panels (0-10 VDC). Auto-standby function. External, universal and CE/UL/CCC certified power supply. Dimensions: 190 x 48 x 90mm. Weight 600 g.	72 756 Ft	92 400 Ft
CECA120HZ	eCA120HZ	Ecler ESSENTIALS eCA120HZ is a micro-amplifier delivering 1 x 120 WRMS @ 70V / 100 V line level (high impedance), built in a very compact format and a light and silent (fanless) design. It features 1 LINE ST input (RCA/Euroblock), AUTO STANDBY function and volume remote control, compatible with WpMVOL and WpMVOL-SR wall panels (0-10 VDC). Auto-standby function. External, universal and CE/UL/CCC certified power supply. Dimensions: 190 x 48 x 190mm. Weight 2.3 kg	82 126 Ft	104 300 Ft
eCA DANTE SERIES				
CECA120DN	eCA120DN	Ecler ESSENTIALS eCA120DN is a 2 x 60 WRMS @ 4Ω high efficiency (class D) stereo compact amplifier. It features 2x analogue audio inputs and 2 x Dante™ audio inputs, both with selectable priority function (over the other input signal) as well as an auxiliary audio output. Auto stand-by function (selectable) and fanless design (100% silent). Remote control volume port compatible with Ecler WpM series. Universal external power supply included. Dimensions: 200 x 44(1RU) x 120mm. Weight 0,9 kg	187 874 Ft	238 600 Ft
CECA120HZDN	eCA120HZDN	Ecler ESSENTIALS eCA120HZDN is a 120 WRMS @ 100V efficiency (class D) mono compact amplifier for high impedance lines. It features 2 x analogue inputs and 2 x Dante™ inputs, both with selectable priority function (over the other input signal) as well as an auxiliary audio output. Auto stand-by function (selectable) and fanless design (100% silent). Remote control volume port compatible with WpM series. Universal external power supply included. Dimensions: 435 x 44(1RU) x 120mm. Weight 2.8 kg	210 787 Ft	267 700 Ft
LOUDSPEAKERS				
IN-CEILING LOUDSPEAKERS				
CIW103	IW103	Ecler IW103 is a 3" in-ceiling / in-wall installation loudspeaker featuring a rectangular and discreet design, and including a high impedance transformer unit with 15 and 30 W power selections @ 100V line level. Dimensions 110 x 165 x 80 mm. Weight 900g. Delivered by master carton of 8 units. Price per unit.	17 559 Ft	22 300 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
		eIC SERIES		
CEIC51F	eIC51-F	Ecler ESSENTIALS eIC51-F is a fast installation in-ceiling loudspeaker. It features a 5,25" woofer, 6 WRMS @ 8 Ω nominal power and 70/100V line transformer with 3 and 6 W power selections. Internal diameter 150 mm. External diameter 173mm. Required depth 41mm. Weight 400g. Delivered by master carton of 12 units. Price per unit.	4 016 Ft	5 100 Ft
CEIC5154	eIC5154	Ecler ESSENTIALS eIC5154 is an EN54-24 certified 1 way in-ceiling loudspeaker. It features a 5" woofer, including a 70/100V line transformer with 0,4 / 0,75 / 1,5 / 3 and 6 W power selections. Cutout size 157mm. External diameter 180mm. Required depth 147mm. Weight 1,2 kg. Delivered by units. Price per unit.	15 512 Ft	19 700 Ft
CEIC52	eIC52	Ecler ESSENTIALS eIC52 is a 2-way cost-effective in-ceiling loudspeaker with a great sound performance. It features a 5,25" woofer and a 0,75" tweeter, 20 WRMS @ 8 Ω nominal power and 100V line transformer with 3 and 6 W power selections. Internal diameter 164mm. External diameter 202mm. Required depth: 65mm. Weight 1.0 kg Delivered by master carton of 8 units. Price per unit.	7 402 Ft	9 400 Ft
CEIC52MS	eIC52MS	Ecler ESSENTIALS eIC52MS is a 2 way in-ceiling loudspeaker suitable for installations exposed to extreme humidity and/or temperature. It features 1x5" woofer and 1x1" tweeter with a global power admission of 20 WRMS @ 8Ω. Internal diameter 120mm. External diameter 165mm. Required depth 79mm. Weight 700g. Delivered by units. Price per unit.	10 787 Ft	13 700 Ft
		IC SERIES		
CIC3BK	IC3	Ecler IC3 1-way loudspeaker is the perfect option for 70/100 V (0.75/1.5/3/6 W) and low impedance sound solutions. It mounts a 3" woofer in a discreet design. Cutout size 90mm. Internal diameter 88mm. External diameter 105mm. Required depth 90mm. Weight 500g. Black colour. Delivered by master carton of 2 units. Price per unit.	11 260 Ft	14 300 Ft
CIC3WH	IC3	Ecler IC3 1-way loudspeaker is the perfect option for 70/100 V (0.75/1.5/3/6 W) and low impedance sound solutions. It mounts a 3" woofer in a discreet design. Cutout size 90mm. Internal diameter 88mm. External diameter 105mm. Required depth 90mm. White colour. Weight 500g. Delivered by master carton of 2 units. Price per unit.	11 260 Ft	14 300 Ft
CIC6BK	IC6BK	Ecler IC6 2-way loudspeaker is the perfect option for 70/100 V (2.5/5/7.5/15 W) and low impedance sound solutions (40WRMS @8Ω). It mounts a 6" woofer and a 1" tweeter in a discreet design. Cutout size 180mm. Internal diameter 178mm. External diameter 204mm. Required depth 73mm. Weight 1,52kg Delivered by master carton of 2 units. Price per unit. Black colour.	14 803 Ft	18 800 Ft
CIC6	IC6	Ecler IC6 2-way loudspeaker is the perfect option for 70/100 V (2.5/5/7.5/15 W) and low impedance sound solutions (40WRMS @8Ω). It mounts a 6" woofer and a 1" tweeter in a discreet design. Cutout size 180mm. Internal diameter 178mm. External diameter 204mm. Required depth 73mm Weight 1,52kg. Delivered by master carton of 2 units. Price per unit. White colour.	14 803 Ft	18 800 Ft
CIC8	IC8	Ecler IC8 2-way loudspeaker is the perfect option for 70/100 V (5/7.5/15/30 W) and low impedance sound solutions (60WRMS @8Ω). It mounts an 8" woofer and a 1" tweeter in a discreet design. Cutout size 222mm. Internal diameter 220mm. External diameter 245mm. Required depth 91mm. Weight 2,3kg. Delivered by master carton of 2 units. Price per unit. White colour.	18 898 Ft	24 000 Ft
CICSB10	ICSB10	Ecler ICSB10 sub-woofer reinforcement loudspeaker is the perfect option for 70/100 V (7.5/15/30/60 W) and low impedance sound solutions. It mounts a 10" providing 100 WRMS power in a discreet design. Includes a switchable LPF (150Hz/OFF) .Cutout size 307mm. Internal diameter 305mm. External diameter 335mm .Required depth 126mm. Weight 5,3kg. Delivered by master carton of 2 units. Price per unit. White colour.	53 858 Ft	68 400 Ft
		IC CLASS SERIES		

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CIC6CLASSI	IC6CLASS-I	Ecler IC6CLASS-I is a low impedance (75WRMS @16Ω) 2-way loudspeaker (6" kevlar woofer + 1" silk tweeter), with a mechanical design that provide a high quality audio ("Hi-Fidelity" profile sound) and a very fast installation process, just using a basic set of tools. Cutout size 227mm. Internal diameter 224mm. External diameter 270mm. Required depth 95mm. Weight 2,1kg. Delivered by units. Price per unit.	44 016 Ft	55 900 Ft
CIC6CLASSTR	IC6CLASS-TR	Ecler IC6CLASS-TR is a low (75WRMS @16Ω) and high impedance (3, 7.5, 15, 20, 30 W) 2-way loudspeaker (6" kevlar woofer + 1" silk tweeter), with a mechanical design that provide a high quality audio ("Hi-Fidelity" profile sound) and a very fast installation process, just using a basic set of tools. Cutout size 227mm. Internal diameter 224mm. External diameter 270mm. Required depth 95mm. Weight 2,5kg. Delivered by units. Price per unit.	51 575 Ft	65 500 Ft
CIC6CLASS54	IC6CLASS-54	Ecler IC6CLASS-54 is a low (75WRMS @16Ω) and high impedance (3/7.5/15/20/30W) 2-way loudspeaker (6" kevlar woofer + 1" silk tweeter) which features a design in accordance with EN54-24 standard (Fire detection and fire alarm systems, Voice alarms - speakers), including ceramic connection terminals, thermal fuse and Internal FR wiring. Cutout size 227mm. Internal diameter 224mm. External diameter 270mm. Required depth (with back can) 175 mm. Weight 3,1kg. Delivered by units. Price per unit.	62 126 Ft	78 900 Ft
CIC6CLASS54X	IC6CLASS54X	Ecler IC6CLASS54X is a kit containing 2 x IC6CLASS-54 (EN54-24 In-ceiling /In-wall High-end Loudspeaker) + 1 x IC-TB8 (2 x Tile bridge for IC8 & IC6CLASS series).	139 606 Ft	177 300 Ft
LOUDSPEAKERS CABINET				
CTRAIL103BK	TRAIL103BK	Ecler TRAIL103BK is a 3" lamp style loudspeaker cabinet, with high Impedance (15W and 30W taps) and Low Impedance (15WRMS @4Ω) connections. Includes 3 different installation system accessories for ceiling light rails, surface mount and truss mount. Dimensions (without arm) Ø 96mm x 110mm. Weight 1kg Black colour. Delivered by units. Price per unit.	45 827 Ft	58 200 Ft
CTRAIL103WH	TRAIL103WH	Ecler TRAIL103WH is a 3" lamp style loudspeaker cabinet, with high Impedance (15W and 30W taps) and Low Impedance (15WRMS @4Ω) connections. Includes 3 different installation system accessories for ceiling light rails, surface mount and truss mount. Dimensions (without arm) Ø 96mm x 110mm. Weight 1kg White colour. Delivered by units. Price per unit.	45 827 Ft	58 200 Ft
CTRAILSB6TBK	TRAILSB6TBK	Ecler TRAILSB6T is a wooden subwoofer reinforcement cabinet with a very compact format, featuring a 6,5" driver, 60 WRMS @ 8Ω, 70/100V line transformer (7.5/15/30/60 W), and internal Low Pass Filter(150Hz / OFF). Specifically designed to fulfil permanent installation requirements: concealed in false ceilings or partition walls, on walls' surface, etc. Installation accessories included. Dimensions 200x200x320 mm. Weight 6,3kg. Available only in black finish. Delivered by units. Price per unit.	94 252 Ft	119 700 Ft
eAMBIT SERIES				
CEAMB103BK	eAMBIT103BK	Ecler ESSENTIALS eAMBIT103 is an ultra compact 2-way (3.5" woofer and 0.5" tweeter) loudspeaker cabinet with neutral an discreet design, suitable for 70/100V (2.5/5/7.5/15 W) and low impedance (25 WRMS @8Ω) audio lines. IP54 certified. Includes on-wall hardware, safety sling, screws and wrench for fast installation. Dimensions (without accessories) 120 x 120 x 117 mm. Weight 1,275kg Black color. Delivered by master carton of 2 units. Price per unit.	13 465 Ft	17 100 Ft
CEAMB103WH	eAMBIT103WH	Ecler ESSENTIALS eAMBIT103 is an ultra compact 2-way (3.5" woofer and 0.5" tweeter) loudspeaker cabinet with neutral an discreet design, suitable for 70/100V (2.5/5/7.5/15 W) and low impedance (25 WRMS @8Ω) audio lines. IP54 certified. Includes on-wall hardware, safety sling, screws and wrench for fast installation. Dimensions (without accessories) 120 x 120 x 117 mm. Weight 1,275kg White color. Delivered by master carton of 2 units. Price per unit.	13 465 Ft	17 100 Ft
CEAMB106BK	eAMBIT106BK	Ecler ESSENTIALS eAMBIT106 is an ultra compact 2-way (6.5" woofer and 1" tweeter) loudspeaker cabinet with neutral an discreet design, suitable for 70/100V (5/7.5/15/30 W) and low impedance(50WRMS @8Ω) audio lines. IP54 certified. Includes on-wall hardware, safety sling, screws and wrench for fast installation. Dimensions (without accessories) 210 x 210 x 160 mm. Weight 2,75kg Black color. Delivered by master carton of 2 units. Price per unit.	22 283 Ft	28 300 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CEAMB106WH	eAMBIT106WH	Ecler ESSENTIALS eAMBIT106 is an ultra compact 2-way (6.5" woofer and 1" tweeter) loudspeaker cabinet with neutral and discreet design, suitable for 70/100V (5/7.5/15/30 W) and low impedance (50WRMS @8Ω) audio lines. IP54 certified. Includes on-wall hardware, safety sling, screws and wrench for fast installation. Dimensions (without accessories) 210 x 210 x 160 mm. Weight 2,75kg White color. Delivered by master carton of 2 units. Price per unit.	22 283 Ft	28 300 Ft
AUDEO SERIES				
CAUDEO103BK	AUDEO103BK	Ecler AUDEO103 is a 2-way loudspeaker cabinet. It features a 3.5" woofer and 0.5" tweeter. Suitable for high 70/100V (2.5/5/7.5/15 W) and low impedance (25WRMS @8Ω) audio lines. Program power 50W. IP54 rated, protective front grill with anti-rust treatment, and accessories for wall-mounting included. Dimensions (without accessories) 132 x 134 x 110 mm. Weight 1,45kg Black color. Delivered by master carton of 2 units. Price per unit.	24 252 Ft	30 800 Ft
CAUDEO103WH	AUDEO103WH	Ecler AUDEO103 is a 2-way loudspeaker cabinet. It features a 3.5" woofer and 0.5" tweeter. Suitable for high 70/100V (2.5/5/7.5/15 W) and low impedance (25WRMS @8Ω) audio lines. Program power 50W. IP54 rated, protective front grill with anti-rust treatment, and accessories for wall-mounting included. Dimensions (without accessories) 132 x 134 x 110 mm. Weight 1,45kg White color. Delivered by master carton of 2 units. Price per unit.	24 252 Ft	30 800 Ft
CAUDEO106BK	AUDEO106BK	Ecler AUDEO106 is a 2-way loudspeaker cabinet. It features a 6.5" woofer and 1" tweeter. Suitable for 70/100V (5/7.5/15/30 W) and low impedance (50 WRMS @8Ω) audio lines. Program power 100W. IP54 rated, protective front grill with anti-rust treatment, and accessories for wall-mounting included. Dimensions (without accessories) 242 x 242 x 163 mm. Weight 2,3kg Black color. Delivered by master carton of 2 units. Price per unit.	38 346 Ft	48 700 Ft
CAUDEO106WH	AUDEO106WH	Ecler AUDEO106 is a 2-way loudspeaker cabinet. It features a 6.5" woofer and 1" tweeter. Suitable for 70/100V (5/7.5/15/30 W) and low impedance (50 WRMS @8Ω) audio lines. Program power 100W. IP54 rated, protective front grill with anti-rust treatment, and accessories for wall-mounting included. Dimensions (without accessories) 242 x 242 x 163 mm. Weight 2,3kg White color. Delivered by master carton of 2 units. Price per unit.	38 346 Ft	48 700 Ft
CAUDEO108BK	AUDEO108BK	Ecler AUDEO108 is a 2-way loudspeaker cabinet. It features a 8" woofer and 1" tweeter. Suitable for 70/100V (7.5/15/30/60W) and low impedance (100WRMS @8Ω) audio lines. Program power 200W. IP54 rated, protective front grill with anti-rust treatment, and accessories for wall-mounting included. Dimensions (without accessories) 300 x 310 x 223 mm. Weight 3,75kg Black color. Delivered by master carton of 2 units. Price per unit.	68 661 Ft	87 200 Ft
CAUDEO108WH	AUDEO108WH	Ecler AUDEO108 is a 2-way loudspeaker cabinet. It features a 8" woofer and 1" tweeter. Suitable for 70/100V (7.5/15/30/60W) and low impedance (100WRMS @8Ω) audio lines. Program power 200W. IP54 rated, protective front grill with anti-rust treatment, and accessories for wall-mounting included. Dimensions (without accessories) 300 x 310 x 223 mm. Weight 3,75kg White color. Delivered by master carton of 2 units. Price per unit.	68 661 Ft	87 200 Ft
CAUDEOSB110P	AUDEOSB110P	Ecler AUDEOSB110P is the self-powered sub-woofer reinforcement unit of the AUDEO series. 150WRMS nominal power. 300W program power. With a discreet design that enables its use in any environment, this 10" is the ideal partner for the AUDEOs in those music applications where extended low-end response is required. Dimensions 310 x 505 x 420 mm. Weight 16.75 kg Black color.	127 323 Ft	161 700 Ft
eMOTUS SERIES				
CEMOTUS5PBBK	eMOTUS5PBBK	Ecler ESSENTIALS eMOTUS5PBBK is a stereo loudspeaker kit (2 x 25WRMS @ 8Ω) including an active and a passive cabinet. eMOTUS5PBBK performs BT connection, balanced and unbalanced audio inputs. Includes an IR remote control and 0-10VDC remote port. Features: source selection, 2 band tone control, stereo/mono switch, auto stand-by and wall bracket and security steel cable. Dimensions 173x185x180mm. Weight 4.8 kg. Black colour. Delivered by	81 024 Ft	102 900 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CEMOTUSSPBWH	eMOTUSSPBWH	Ecler ESSENTIALS eMOTUSSPBWH is a stereo loudspeaker kit (2 x 25WRMS @ 8Ω) including an active and a passive cabinet. eMOTUSSPBBK performs BT connection, balanced and unbalanced audio inputs. Includes an IR remote control and 0-10VDC remote port. Features: source selection, 2 band tone control, stereo/mono switch, auto stand-by and wall bracket and security steel cable. Dimensions 173x185x180mm. Weight 4.8 kg. White colour. Delivered by kit (active + passive loudspeakers). Price per kit.	81 024 Ft	102 900 Ft
CEMOTUSSPBK	eMOTUSSPBK	Ecler ESSENTIALS eMOTUSSPBK is a stereo loudspeaker kit (2 x 25WRMS @ 8Ω) including an active and a passive cabinet and performing 2 audio inputs: balanced and unbalanced. Suitable for low impedance audio lines, includes source selection, 2 band tone control, stereo/mono switch, auto stand-by and wall bracket and security steel cable. Dimensions (without accessories) 173x185x180mm. Weight 4.2 kg Black colour. Delivered by kit (active + passive loudspeakers). Price per kit.	62 126 Ft	78 900 Ft
CEMOTUSSPWH	eMOTUSSPWH	Ecler ESSENTIALS eMOTUSSPWH is a stereo loudspeaker kit (2 x 25WRMS @ 8Ω) including an active and a passive cabinet and performing 2 audio inputs: balanced and unbalanced. Suitable for low impedance audio lines, includes source selection, 2 band tone control, stereo/mono switch, auto stand-by and wall bracket and security steel cable. Dimensions (without accessories) 173x185x180mm. Weight 4.2 kg White colour. Delivered by kit (active + passive loudspeakers). Price per kit.	62 126 Ft	78 900 Ft
CEMOTUSSODBK	eMOTUSSODBK	Ecler ESSENTIALS eMOTUSSODBK is a 5" woofer and 1" tweeter (40WRMS @ 8Ω) loudspeaker cabinet ready for outdoor installation(IP65). Suitable for 100V (3,75/7,5/15/30W) and low impedance(8Ω) audio lines. Includes wall bracket and security steel cable. Dimensions (without accessories) 173x181x180mm. Weight 4.8 kg Black colour. Price per unit, sold in pairs.	31 102 Ft	39 500 Ft
CEMOTUSSODWH	eMOTUSSODWH	Ecler ESSENTIALS eMOTUSSODWH is a 5" woofer and 1" tweeter (40WRMS @ 8Ω) loudspeaker cabinet ready for outdoor installation(IP65). Suitable for 100V (3,75/7,5/15/30W) and low impedance(8Ω) audio lines. Includes a wall bracket and security steel cable. Dimensions (without accessories) 173x181x180mm. Weight 4.8 kg White colour. Price per unit, sold in pairs.	31 102 Ft	39 500 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
		ARQIS SERIES		
CARQIS105BK	ARQIS 105BK	Ecler ARQIS105 is a 2-way (5,25" woofer and 1" rotatable HF tweeter) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 70 WRMS @ 8 Ω. 140W Program power. Its smart wall bracket (included), allows for pan&tilt adjustment, employing a single screw for fastening. Double INPUT/STACK connector, Euroblock type, with security attachment screws, and metal safety sling included. 120°x120° dispersion pattern. Dimensions 186x280x210 mm. Weight 3.6 kg. Black color	47 795 Ft	60 700 Ft
CARQIS105WH	ARQIS 105WH	Ecler ARQIS105 is a 2-way (5,25" woofer and 1" rotatable HF tweeter) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 70 WRMS @ 8 Ω. 140W Program power. Its smart wall bracket (included), allows for pan&tilt adjustment, employing a single screw. Double INPUT/STACK connector, Euroblock type, with security attachment screws, and metal safety sling included. 120°x120° dispersion pattern. Dimensions 186x280x210 mm. Weight 3.6 kg. White color	47 795 Ft	60 700 Ft
CARQIS106BK	ARQIS 106BK	Ecler ARQIS106 is a 2-way (6,5" woofer and 1" rotatable HF Compressor Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 120 WRMS@8Ω. 240W Program power. Its smart wall bracket (included), allows for pan&tilt adjustment, employing a single screw for fastening. Double INPUT/STACK connector, Euroblock type, with security attachment screws, and metal safety sling included. 90°x60° dispersion pattern. Dimensions 216 x 350 x 240 mm. Weight 7.4 kg Black color	73 465 Ft	93 300 Ft
CARQIS106WH	ARQIS 106WH	Ecler ARQIS106 is a 2-way (6,5" woofer and 1" rotatable HF Compressor Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 120 WRMS@8Ω. 240W Program power. Its smart wall bracket (included), allows for pan&tilt adjustment, employing a single screw for fastening. Double INPUT/STACK connector, Euroblock type, with security attachment screws, and metal safety sling included. 90°x60° dispersion pattern. Dimensions 216 x 350 x 240 mm. Weight 7.4 kg White color	73 465 Ft	93 300 Ft
CARQIS108BK	ARQIS 108BK	Ecler ARQIS108 is a 2-way (8" woofer and 1" HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics, excellent sound quality and long term reliability, featuring 175 WRMS @ 8 Ω. 350W Program power. Its smart wall bracket (included), allows for pan&tilt adjustment, employing a single screw for fastening. 90°x60° dispersion pattern. Dimensions 244 x 390 x 280 mm. Weight 8.4 kg Black color	87 165 Ft	110 700 Ft
CARQIS108WH	ARQIS 108WH	Ecler ARQIS108 is a 2-way (8" woofer and 1" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics, excellent sound quality and long term reliability, featuring 175 WRMS @ 8 Ω. 350W Program power. Its smart wall bracket (included), allows for pan&tilt adjustment, employing a single screw for fastening. 90°x60° dispersion pattern. Dimensions 244 x 390 x 280 mm. Weight 8.4 kg. White color	87 165 Ft	110 700 Ft
CARQIS110BK	ARQIS 110BK	Ecler ARQIS 110 is a 2 way (10" woofer and 1" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics and long term reliability, featuring 220WRMS @ 8 ohm. 440W Program power. 35 mm mount socket and 8 x M10 rigging points, allowing for horizontal or vertical mounting options (90°x50° dispersion pattern). Dimensions 359 x 495 x 310 mm. Weight 14.8 kg. Black color. Bracket not included. Optional TRIPO, SR8 and SR12 accessories.	115 118 Ft	146 200 Ft
CARQIS110WH	ARQIS 110WH	Ecler ARQIS 110 is a 2 way (10" woofer and 1" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics and long term reliability, featuring 220WRMS @ 8 ohm. 440W Program power. 35 mm mount socket and 8 x M10 rigging points, allowing for horizontal or vertical mounting options (90°x50° dispersion pattern). Dimensions 359 x 495 x 310 mm. Weight 14.8 kg. White color. Bracket not included. Optional TRIPO, SR8 and SR12 accessories.	115 118 Ft	146 200 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CARQIS112BK	ARQIS 112BK	Ecler ARQIS 112 is a 2 way (12" woofer and 1,4" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics and long term reliability, featuring 340 WRMS @ 8 Ω. 680W Program power. 35 mm mount socket and 8 x M10 rigging points, allowing for horizontal or vertical mounting options (80°x40° dispersion pattern). Dimensions 416 x 565 x 352 mm. Weight 20.0 kg. Black color. Bracket not included. Optional TRIPO and SR12 accessories.	174 961 Ft	222 200 Ft
CARQIS112WH	ARQIS 112WH	Ecler ARQIS 112 is a 2 way (12" woofer and 1,4" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format, stylish aesthetics and long term reliability, featuring 340 WRMS @ 8 Ω. 680W Program power. 35 mm mount socket and 8 x M10 rigging points, allowing for horizontal or vertical mounting options (80°x40° dispersion pattern). Dimensions 416 x 565 x 352 mm. Weight 20.0 kg. White color. Bracket not included. Optional TRIPO and SR12 accessories.	174 961 Ft	222 200 Ft
CARQIS205BK	ARQIS 205BK	Ecler ARQIS205 is a 2-way (2x 5,25" woofer and 1" HF rotatable Compression Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 140 WRMS @ 8 Ω. 280W Program power. Double INPUT/STACK connector, Euroblock + Speakon® type, 8 x M8 cabinet flying points, metal safety sling included. Its "U" shape wall bracket (included) allows for tilt adjustment. 90° x 60° dispersion pattern. Dimensions 480 x 186 x 210 mm. Weight 8.4 kg. Black color.	85 669 Ft	108 800 Ft
CARQIS205WH	ARQIS 205WH	Ecler ARQIS205 is a 2-way (2x 5,25" woofer and 1" HF rotatable Compression Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 140 WRMS @ 8 Ω. 280W Program power. Double INPUT/STACK connector, Euroblock + Speakon® type, 8 x M8 cabinet flying points, metal safety sling included. Its "U" shape wall bracket (included) allows for tilt adjustment. 90° x 60° dispersion pattern. Dimensions 480 x 186 x 210 mm. Weight 8.4 kg. White color.	85 669 Ft	108 800 Ft
CARQIS208BK	ARQIS 208BK	Ecler ARQIS208 is a 2-way (2 x 5,25" woofer and 1" HF Compression Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 300 WRMS @ 8 Ω. 600W Program power. Double INPUT/STACK connector, Euroblock + Speakon® type, 8 x M8 cabinet flying points, metal safety sling included. Its "U" shape wall bracket (included) allows for tilt adjustment. 90°x60° dispersion pattern. Dimensions 610 x 244 x 280 mm. Weight 14.4 kg. Black color.	131 811 Ft	167 400 Ft
CARQIS208WH	ARQIS 208WH	Ecler ARQIS208 is a 2-way (2 x 5,25" woofer and 1" rotatable HF Compression Driver) wooden loudspeaker cabinet with a compact format and long term reliability, featuring 300 WRMS @ 8 Ω. 600W Program power. Double INPUT/STACK connector, Euroblock + Speakon® type, 8 x M8 cabinet flying points, metal safety sling included. Its "U" shape wall bracket (included) allows for tilt adjustment. 90°x60° dispersion pattern. Dimensions 610 x 244 x 280 mm. Weight 14.4 kg. White color.	131 811 Ft	167 400 Ft
CARQISSB6TBK	ARQISSB6TBK	Ecler ARQISSB6T is a wooden wall-mount subwoofer reinforcement cabinet, featuring a 6,5" driver and a passive 6,5" radiator. 240W program power, 120 WRMS power @ 8 ohm and integrated 70/100V line transformer with 60 and 120W taps. Internal LPF with OFF, 120HZ and 150 HZ cut-off frequency selections. Installation U-bracket included. Dimensions (WxHxD) 250 x 390 x 150mm. Weight 8.4 kg. Black color.	126 299 Ft	160 400 Ft
CARQISSB6TWH	ARQISSB6TWH	Ecler ARQISSB6T is a wooden wall-mount subwoofer reinforcement cabinet, featuring a 6,5" driver and a passive 6,5" radiator. 240W program power, 120 WRMS power @ 8 ohm and integrated 70/100V line transformer with 60 and 120W taps. Internal LPF with OFF, 120HZ and 150 HZ cut-off frequency selections. Installation U-bracket included. Dimensions (WxHxD) 250 x 390 x 150mm. Weight 8.4 kg. White color.	126 299 Ft	160 400 Ft
CARQISSB10	ARQIS SB10BK	Ecler ARQISSB10 is a wooden wall-mount subwoofer reinforcement cabinet with a slim and compact format and long term reliability, featuring a 10" driver (150 WRMS @ 8 ohm, 300W program power) and internal LPF (OFF/ 120Hz/150Hz). Euroblock connector, wall mount and 12 x M8 rigging points included. Dimensions 442x600x228mm. Weight 16,6 kg. Black color.	128 819 Ft	163 600 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CARQISSB10WH	ARQIS SB10WH	Ecler ARQISSB10 is a wooden wall-mount subwoofer reinforcement cabinet with a slim and compact format and long term reliability, featuring a 10" driver (150 WRMS @ 8 ohm, 300W program power) and internal LPF (OFF/120Hz/150Hz). Euroblock connector, wall mount and 12 x M8 rigging points included. Dimensions 442x600x228mm. Weight 16,6 kg. White color.	128 819 Ft	163 600 Ft
CARQISSB15BK	ARQIS SB15BK	Ecler ARQISSB15 is a wooden sub-woofer reinforcement cabinet with a compact format and long term reliability, featuring 600 WRMS @ 8 Ω and a 15" LF driver. 1200W Program power. Double INPUT/STACK connector, Speakon® type. 35 mm top-hat pole mount socket and 8 x M8 rigging points included. Dimensions 534 x 460 x 525 mm. Weight 32.0 kg Available only in black color.	229 528 Ft	291 500 Ft
VERSO SERIES				
CVERSO8	VERSO8	Ecler VERSO8 is a full range, 2-way loudspeaker (8" polypropylene woofer and 1" HF compression driver) made of high-density and great resistance plastic material. It features 150WRMS @ 8Ω, 300W program power, efficient Larsen high-frequency and clipping protection system, Speakon® connectors, 6 flying points, carry handle at the rear and 35 mm stand at the base for pole mount. 80° x 60° dispersion pattern. Dimensions 291 x 241 x 398 mm. Weight 8 kg	52 520 Ft	66 700 Ft
VERSO P SERIES				
CVERSO8P	VERSO8P	Ecler VERSO8P is a full range, self-powered 2-way loudspeaker (8" polypropylene woofer and 1" HF compression driver). 200WRMS @ 8Ω, 400W program power, 2 XLR MIC/LINE inputs, 2 way mixer, 3 band tone control, balanced STACK OUT, 6 flying points, carry handle at the rear and 35 mm stand at the base for pole mount. Dimensions 291 x 241 x 398 mm. Weight 9.9 kg	85 669 Ft	108 800 Ft
CVERSOSB115P	VERSOSB115P	Ecler VERSOSB115P is the 15" self-powered sub-woofer (500WRMS @ 8Ω) reinforcement unit of the VERSO series. 1000W program power, XLR inputs mono converter, STACK OUT, phase and volume controls, switchable 100Hz/150Hz LPF, and 35 mm stand for pole mount. Dimensions 590 x 490 x 450 mm. Weight 41.3 kg	213 780 Ft	271 500 Ft
CKL SERIES				
CCKL110T	CKL110T	Ecler CKL110T is a 2-way, full range mid-high loudspeaker cabinet. It combines an enclosed 10" speaker attached to a Tractix horn with phase correction and a 2" compression driver. 350WRMS @ 8Ω, 700W program power. Manufactured in 18mm multi-layered Finnish birch plywood. Targeted to long-through vocal reproduction as well as music reinforcement applications in adverse acoustic environments. 60° x 40° dispersion pattern. Dimensions 550 x 550 x 650 mm. Weight 47 kg	1 430 551 Ft	1 816 800 Ft
CCKLSM115T	CKLSM115T	Ecler CKLSM115T is mid-low frequencies loudspeaker cabinet, featuring a high performance horn loaded 15" speaker. 600WRMS @8Ω, 1200W program power. Manufactured in 18mm multi-layered Finnish birch plywood. Targeted to long-through vocal reproduction as well as music reinforcement applications in adverse acoustic environments. Dimensions 550 x 550 x 650 mm. Weight 37.2 kg	679 134 Ft	862 500 Ft
CDPC118	DPC118	Ecler DPC118 is a low frequencies loudspeaker cabinet, featuring high performance 18" speaker. 1200 WRMS @8Ω. Manufactured in 18mm multi-layered Finnish birch plywood, covered with a scratch and shock resistant polyurethane paint finish. Two DPC118 units should be paired for a more powerful bass reinforcement. Dimensions 570 x 750 x 720 mm. Weight 55.5 kg	836 535 Ft	1 062 400 Ft
SPECIALIZED LOUDSPEAKERS				
CNEST106WH	NEST106	Ecler NEST106 is a full range 2-way loudspeaker (6,5" woofer + coaxial tweeter) who delivers 60WRMS @8Ω with a partial sphere front panel (1/4 of a sphere) and the back in the shape of a triangular pyramid, fitting perfectly in a corner or several merged to become portions of a sphere. 8Ω/100V (7/10/15/30 W) operating selector switch, IP54 rated and accessories for wall-mounting included. Dimensions 330x230x197mm. Weight 3.25 kg White color. Delivered by master carton of 2 units. Price per unit.	43 150 Ft	54 800 Ft
CERK108	eRK108	Ecler eRK108 is an outdoor and cost-effective ground loudspeaker. It features a 8" woofer, 0.5" tweeter. 70/100V transformer (15W). IP65 rated. Ready to be installed in gardens, theme parks, leisure facilities, etc. Dimensions 325x290x270mm. Weight 5kg	35 039 Ft	44 500 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CIG108	IG108	Ecler IG108 is an in-ground weatherproof loudspeaker (IP65) with an omnidirectional horizontal dispersion pattern (360°). 8" Kevlar woofer and 1" ACCW silk tweeter. 100WRMS @ 8Ω, suitable for 70/100V (7.5/15/30/60 W @ 100V). Frequency response 50Hz to 23kHz.Security ground bracket included. It is ideal for music and message applications in outdoor areas. Dimensions 360 x 392.5 mm. Weight 8.5 kg	107 559 Ft	136 600 Ft
CECS403	eCS403	Ecler eCS403 is a column loudspeaker, featuring 4 x 3" woofer transducers, 50 WRMS total power @ 4Ω, low impedance direct connection and 70/100V transformer(20/ 10/ 5/ 2.5 W/ 100V/ 4 Ω). Aluminium enclosure with included wall bracket and IP44 outdoor class. Dimensions (without accessories) 105x460x90 mm. Weight 2,5 kg	20 866 Ft	26 500 Ft
CECS803	eCS803	Ecler eCS803 is a column loudspeaker, featuring 8 x 3" woofer transducers, 100 WRMS @ 8Ω, low impedance direct connection and 70/100V transformer (Selector de potencia: 30/ 20/ 10/ 5 W 100V/ 8 Ω). Aluminium enclosure with included wall bracket and IP44 outdoor class. Dimensions (without accessories) 105x760x90mm. Weight 4.5 kg	33 071 Ft	42 000 Ft
CEUC106BK	eUC106BK	Ecler eUC106 is a spherical pendant loudspeaker featuring a 6,5" woofer, 0,5" tweeter. 40WRMS @ 8Ω and 70/100V transformer (32/ 16/ 8/ 4 W @ 100V). Dimensions (without accessories) ø270 x 215 (H). Weight 3 kg Stripped wire connection (3m). Black colour.	29 685 Ft	37 700 Ft
CEUC106	eUC106WH	Ecler eUC106 is a spherical pendant loudspeaker featuring a 6,5" woofer, 0,5" tweeter. 40WRMS @ 8Ω and 70/100V transformer.(32/ 16/ 8/ 4 W @ 100V). Dimensions (without accessories) ø270 x 215 (H). Weight 3 kg Stripped wire connection (3m). White colour.	29 685 Ft	37 700 Ft
CEPRS10TI	ePRS10Ti	Ecler ESSENTIALS ePRS10Ti is a 10WRMS sound projector carefully selected for the most extended 70/100V paging and background music applications. Manufactured in reinforced ABS and IP65 rated, therefore suitable for outdoor superior performance in music high-quality applications. Power selection: 2,5/5/10W @ 100V. Dimensions ø 138 x 200mm. Weight 1.5kg (including accessories).	13 228 Ft	16 800 Ft
CEPRS20TI	ePRS20Ti	Ecler ESSENTIALS ePRS20Ti is a 20WRMS sound projector carefully selected for the most extended 70/100V paging and background music applications. Manufactured in reinforced ABS and IP65 rated, therefore suitable for outdoor superior performance in music high-quality applications. Power selection: 5/ 10/ 20W @ 100V. Dimensions ø 177 x 245mm. Weight 2.4kg (including accessories).	15 906 Ft	20 200 Ft
CEPHS30TI	ePHS30Ti	Ecler ESSENTIALS ePHS30Ti is a 30WRMS horn loudspeaker carefully selected for the most extended 70/100V paging and background music applications, offering durability and optimal speech and music reproduction. Manufactured in reinforced ABS and IP66 rated, therefore suitable for outdoor superior performance. Power selection: 5/10/20/30W @ 100V. Dimensions ø 240 x 303mm. Weight 2.6kg (including accessories).	21 181 Ft	26 900 Ft
CEMSP50TI	eMSP50Ti	Ecler ESSENTIALS eMSP50Ti is a 50WRMS 2-way musical horn carefully selected for the most extended 70/100V paging and background music applications, offering durability and optimal speech and music reproduction. Manufactured in reinforced ABS and IP66 rated, therefore suitable for outdoor superior performance in music high-quality applications. Power selection: 3.5/4.5/9/12.5/25/50W @ 100V. Dimensions 370x270x305mm. Weight 5.2kg (including accessories).	46 220 Ft	58 700 Ft
CEHORN10BK	eHORN10	Ecler ESSENTIALS eHORN10 is a 2 way, full-range and long-throw horn loudspeaker, ready for outdoor applications. It features a 10" LF driver and 1" HF driver, 250 WRMS @ 8 Ω nominal power and 100 line transformer with 240/120/60 W power selections. IP 46 rated. 60° x 40° dispersion pattern. Dimensions 452 x 630 x 452mm. Weight 32,0 kg Black colour.	325 906 Ft	413 900 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
REMOTE CONTROLS & INTERFACES				
PAGING STATIONS				
MPAGE SERIES				
CPAGNETDN	PAGNETDN	Ecler PAGNETDN is a desktop paging console for voice notices with Dante™ audio over IP. Features a 10" touch screen, a server client and a UCP server (User Control Panel). Since it's a server/UCP client device, it's possible to add other kind of control panels beside the ones destined for voice messages such as: volume control, sound source selection, presets recovery, communication via TCP/UDP with external devices, etc. Power over Ethernet or local power supply. Gooseneck microphone included.	389 843 Ft	495 100 Ft
CEMPAGE	eMPAGE	eMPAGE is a digital paging station (MPAGE16's evolution), compatible with eMIMO1616, MIMO88, MIMO88SG and MIMO1212SG digital matrixes. Includes: a gooseneck cardioid microphone (removable); 16 zone-selection keys; ALL, CLEAR and PAGE keys; 2 programmable keys, F1 & F2, for zone-group selection. Text labelling for destination areas by means of programmable electronic ink display. Dimensions (microphone excluded) 150mm x 180mm x 50mm. Weight 900g.	144 882 Ft	184 000 Ft
CMPAGE1R	MPAGE1r	Ecler MPAGE1r is a 1-zone desktop paging station, compatible with any device including a phantom-powered microphone input (SAM series, COMPACT series, DAM614, MIMO88, CA series, HMA series, etc.). Internal connections for a secure wiring. Dimensions (microphone excluded) 120mm x 126mm x 43mm. Weight 625 g.	50 000 Ft	63 500 Ft
CMPAGE4	MPAGE4	Ecler MPAGE4 is a 4-zone desktop paging station compatible with DAM614, CA series, etc. It allows for real-time paging with zones' destination selection. Selectable chime melody. Dimensions (microphone excluded) 120mm x 126mm x 43mm. Weight 650 g.	80 315 Ft	102 000 Ft
DIGITAL CONTROLS & PANELS				
CWPMSCREEN	WPmSCREEN	Ecler WPmSCREEN is a remote control panel compatible with all the EclerNet products, like MIMO88 / SG, NXA series y DUO-NET PLAYER. It features a 7" touch-screen and an integrated UCP (User Control Panel) client and server hardware: no computer is required to run an EclerNet project and become a UCP webserver, once one WPmSCREEN unit are installed in it. WPmSCREEN includes a surface mount installation box, and is as well compatible with standard recessed boxes and the VESA75 mount system.	188 189 Ft	239 000 Ft
CWPNETTOUCH	WPNETTOUCH	Ecler WPNETTOUCH is a remote control TFT touchscreen compatible with all EclerNet products such as: MIMO4040DN, MIMO88/SG, MIMO1212SG, NXA Series and DUO-NET PLAYER. Incorporates a capacitive 10" touch screen, a server client and UCP server (User Control Panel). When including a WPNETTOUCH in an EclerNet installation is not necessary to use a computer to manage connected devices, neither to have the UCP panels created for the project. Power over Ethernet or local power supply. Surface-mount accessories included. Compatible with VESA75 mounting standard. 260x178x28mm, 700gr.	219 685 Ft	279 000 Ft
CWP22DN	WP22DN	Ecler WP22DN is a Dante™ interface in a wall panel format. It features 2 audio MIC/LINE Combo connector inputs in its frontal panel and 2 Dante™ conversion channels either directly or by the sum of channels (stereo to mono conversion). Also, it features 2 analogue outputs with duplicated connectors in XLR format for the front panel and Euroblock on the rear panel, both linked to 2 Dante™ channels coming from the local network. PoE supply or local power supply.	133 071 Ft	169 000 Ft
CWPNETEX	WPNETEX	WPNETEX is an EclerNet compatible digital wall panel, including an LCD screen, a digital rotary control (encoder) and four selection keys, all of them programmable to perform extended control functions: selection of sources or presets + volume adjustment, event triggering, adjustment of equalizer tones, etc. Ethernet connection interface. PoE power or by local power supply.	109 449 Ft	139 000 Ft
CWPNET4KV	WPNET4KV	Ecler WPNET4KV is an EclerNet compatible wall panel. It features a LCD screen, encoder and 4 selection keys. Works perfectly to enable volume control, source and preset selection functions. Ethernet interface. PoE or local power supply.	82 677 Ft	105 000 Ft
CWPNET8KV	WPNET8KV	WPNET8K is an EclerNet compatible wall panel. It features a LCD screen and 8 selection keys. Works perfectly to enable presets or source selection functions. Ethernet interface. PoE or local power supply.	82 677 Ft	105 000 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CWPTOUCH	WPTOUCH	Ecler WPTOUCH is a remote control wall panel for MIMO series. It features a transfective LCD display and 3 touch controls: two push buttons and a rotating control wheel ("jog wheel"). In addition it features an infrared receiver to operate control functions from a remote control. It has two connection ports (voltage control analogue outputs and a MIMO-REMOTE digital control bus) making it able to operate in both digital and analogue modes.	75 591 Ft	96 000 Ft
CEMCONTROL1	eMCONTROL1	Ecler eMCONTROL1 is a digital control panel for the eMIMO1616 matrix with a wall format. It makes it possible to act as a zone control, enabling the user to have 3 functions : volumen adjustment/MUTE, selection of musical sources and EQ adjustment with 3 band tone control. Coupled to a WPa type panel with an audio connector, provide remote control + balanced audio signal to the eMIMO1616, using only a single CAT5 type cable or higher. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	40 157 Ft	51 000 Ft
ANALOGUE CONTROLS & PANELS				
CWPAMIXT	WPaMIX-T	Ecler WPaMIX-T is a 2 channel micro-mixer which keeps the standard wall-panel format of the WPa series. It allows to mix a stereo unbalanced signal (2xRCA) with a microphone signal (XLR), getting a balanced mono output that can be sent to a preamplifier, amplifier, mixer, digital or analogue matrix, etc. The MIC input includes a 2 band EQ (BASS, TREBLE) and talk-over function. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	35 669 Ft	45 300 Ft
CWPAVOL	WPaVOL	Ecler WPaVOL is a remote wall panel control for one volume management. Compatible with all Ecler 0-10V DC REMOTE control port, like MPA-R, ALMA, MIMO88 / SG, NXA series, CA series, GPA series, etc. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	20 079 Ft	25 500 Ft
CWPAVOLJ	WPaVOL-J	Ecler WPaVOL-J has the same features as WPa VOL + front panel stereo mini-jack connector. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	21 575 Ft	27 400 Ft
CWPAVOLSR	WPaVOL-SR	Ecler WPaVOL-SR is a remote wall panel control for one volume management + source or preset selection. Compatible with all Ecler 0-10V DC REMOTE control port, like MPA-R, ALMA, MIMO88 / SG, NXA series, CA series, GPA series, etc. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	26 063 Ft	33 100 Ft
CWPAVOLSRJ	WPaVOL-SR-J	Ecler WPaVOL-SR-J has the same features as WPaVOL-SR + front panel stereo mini-jack connector. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	27 559 Ft	35 000 Ft
CWPACNXCBO	WPaCNX-CBO	Ecler WPaCNX-CBO is a connection wall plate with Female 3 pin XLR connector + Jack ST (combo connector). Screw-type connector at the back (no solder needed). Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	19 370 Ft	24 600 Ft
CWPACNXJRCA	WPaCNX-JRCA	Ecler WPaCNX-JRCA is a connection wall plate with 1 x stereo minijack and 2 x RCA connectors. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	18 583 Ft	23 600 Ft
CWPAHAT6	WPaH-AT6	Ecler WPaH-AT6 is a 70 / 100V line attenuator with integrated 24 VDC priority relay. 6W maximum output power. Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	21 575 Ft	27 400 Ft
CWPAHAT100	WPaH-AT100	Ecler WPaH-AT100 is a 70 / 100V line attenuator with integrated 24 VDC priority relay. 100W maximum output power. Universal surface-mount installation box included. Dimensions 172 x 38 x 86 mm.	27 559 Ft	35 000 Ft
CWPAHSL4	WPaH-SL4	Ecler WPaH-SL4 is a 70 / 100V V line selector (one out of 4 music program lines). Universal surface-mount installation box included. Dimensions 86 x 38 x 86 mm.	21 575 Ft	27 400 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
ACCESSORIES				
PRODUCT ACCESSORIES				
C1UHRMKIT	1UHRMKIT	Ecler 2UHRMKIT is a kit that enables a half-width x 1U height rack device to be mounted into a standard width rack cabinet.	6 850 Ft	8 700 Ft
C2UHRMKIT	2UHRMKIT	Ecler 2UHRMKIT is a kit that enables a half-width x 2U height rack device to be mounted into a standard width rack cabinet.	9 134 Ft	11 600 Ft
C3URMKIT	3URMKIT	Ecler 3URMKIT is a kit that enables a 1U width x 2U height rack device to be mounted into a standard width rack cabinet.	Árzás alatt	Árzás alatt
CPUM3	PUM3	Ecler PUM3 is a rack-mount accessory that allows to mount two half-width RU devices in 1 standard width RU space. Mounting screws included.	4 567 Ft	5 800 Ft
CREVOIR	REVO-IR	Ecler REVO-IR is an IR remote control including UP, DOWN and MUTE keys, for the volume and MUTE control of compatible devices, like WPTOUCH, CA series and WPmVOL-IR.	8 346 Ft	10 600 Ft
CTR270	TR2-70	Ecler TR2-70 is a transformers kit including 2 transformers for the CA200z's amplified outputs' conversion: 4 Ω to 100V or 70V (high impedance). TR2-70 Kit is compatible with the optional 2UHRMKIT "in-rack" mounting accessory.	35 591 Ft	45 200 Ft
CEWAMPBTBBOX	eWAMPBTBBOX	Ecler eWAMPBTBBOX is a flush mount box compatible with eWAMPBT+.	1 654 Ft	2 100 Ft
CWPMPSCRMKIT	WPmPSCRMKIT	Ecler WPmPSCRMKIT is a kit that enables one WPmSCREEN unit to be mounted into a standard width rack cabinet taking 4 RU.	22 756 Ft	28 900 Ft
CWPMSCRFMBOX	WPmSCRFMBOX	Ecler WPmSCRFMBOX is a in-wall flush mount installation box for WPmSCREEN remote control panel.	16 693 Ft	21 200 Ft
CWPA2FMBOX	WPa2FMBOX	Ecler WPa2FMBOX is a double Flush-Mount box, compatible with the WPa wall panel series. It includes a single frame for fitting 2 adjacent panels in a twin housing.	11 181 Ft	14 200 Ft
CWPA2SMBOX	WPa2SMBOX	Ecler WPa2SMBOX is a double Surface-mount box, compatible with the WPa wall panel series. It includes a single frame for fitting 2 adjacent panels in a twin housing.	11 181 Ft	14 200 Ft
CWPPSU	WPPSU	Ecler WPPSU is an external, universal AC/DC converter for the DC supply of remote panels and devices. Compatible with all the WPm series panels requiring external DC power supply (except WPmSCREEN).	14 488 Ft	18 400 Ft
AUDIO CABLES & OTHERS				
CMBSTAND	MBSTAND	Microphone floor boom stand.	11 496 Ft	14 600 Ft
CMDSTAND	MDSTAND	Microphone desktop stand.	3 386 Ft	4 300 Ft
CNXAC8RM	CNXAC8RM	8 x Schuko sockets rack mount AC strip + ON/OFF switch, 1 RU.	8 819 Ft	11 200 Ft
CNXEBEB1	CNXEBEB1	Euroblock 3 pin to Euroblock 3 pin premade cable, 1 metre length.	4 567 Ft	5 800 Ft
CNXEBEB2M5	CNXEBEB2M5	Euroblock 3 pin to Euroblock 3 pin premade cable, 2.5 metre length.	4 567 Ft	5 800 Ft
CNXEBLINK4	CNXEBLINK4	Euroblock 3 pin to Euroblock 3 pin, 4 connectors premade link cable (amplifiers, preamps and mixers inputs link wire, to share the same audio signal).	4 567 Ft	5 800 Ft
CNXEBRCA1	CNXEBRCA1	Double Euroblock 3 pin to double RCA male and female connection premade cable including RCA to Euroblock unbalancing, 1 metre length.	4 567 Ft	5 800 Ft
CNXRCAEBAD	CNXRCAEBAD	Euroblock 3 pin to RCA MONO female adapter including RCA to Euroblock unbalancing.	3 858 Ft	4 900 Ft
CNXXLRFEB	CNXXLRFEB	Euroblock 3 pin to XLR female connection premade cable, 0.5 metre length.	3 858 Ft	4 900 Ft
CNXLRXLR1	CNXXLRXLR1	XLR male to XLR female cable, 1 metre length.	3 858 Ft	4 900 Ft
CNXLRXLR5	CNXXLRXLR5	XLR male to XLR female cable, 5 metre length.	6 142 Ft	7 800 Ft
CNXLRXLR10	CNXXLRXLR10	XLR male to XLR female cable, 10 metre length.	9 921 Ft	12 600 Ft
LOUDSPEAKER HARDWARE				
CACLASSCAN6L	ACLASSCAN6L	Ecler ACLASSCAN6L is an optional kit (2 units) for IC6CLASS-54 model. It features a low profile back can with 4" depth.	12 677 Ft	16 100 Ft
CADP	ADP	Ecler ADP is a cargo restraint double stud and ring for the CKL series.	6 142 Ft	7 800 Ft
CARQ108UBBK	ARQ108UBBK	ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 108 model. Black colour.	11 417 Ft	14 500 Ft
CARQ108UBWH	ARQ108UBWH	ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 108 model. White colour.	11 417 Ft	14 500 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CARQ110UBBK	ARQ110UBBK	ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 110 model. Black colour.	13 701 Ft	17 400 Ft
CARQ110UBWH	ARQ110UBWH	ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 110 model. White colour.	13 701 Ft	17 400 Ft
CARQ112UBBK	ARQ112UBBK	ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 112 model. Black colour.	15 197 Ft	19 300 Ft
CARQ112UBWH	ARQ112UBWH	ARQIS U-BRACKET KIT are optional accessory kits available for the ARQIS 112 model. White colour.	15 197 Ft	19 300 Ft
CARQSB10SATB	ARQSB10SATB	Ecler ARQSB10SATB is a kit including 2 metal brackets, to convert an ARQIS SB10 subwoofer unit into a hanging cluster, combining the ARQIS SB10 unit and 4 x eAMBIT103 satellite loudspeakers. (loudspeakers not included with this reference)	22 756 Ft	28 900 Ft
CDSTANDAUEO	DSTANDAUEO	Ecler DSTANDAUEO is a desktop stand for one AUDEO103 / AUDEO106 loudspeaker. Sold in kits of 2 units. Price per kit.	13 701 Ft	17 400 Ft
CICTB6	IC-TB6	Ecler IC-TB6 is a tile bridge compatible with IC6 in-ceiling loudspeakers. Sold in kits of 2 units. Price per kit.	15 512 Ft	19 700 Ft
CICTB8	IC-TB8	Ecler IC-TB8 is a tile bridge compatible with IC8 and IC6CLASS series in-ceiling loudspeakers. Sold in kits of 2 units. Price per kit.	16 850 Ft	21 400 Ft
CMP103AMB2	MP103AMB2	Ecler MP103AMB2 is a cluster hardware for 2 eAMBIT103 units. Black color	6 142 Ft	7 800 Ft
CMP103AMB4	MP103AMB4	Ecler MP103AMB4 is a cluster hardware for 4 eAMBIT103 units. Black color	6 142 Ft	7 800 Ft
CMP106AMB2	MP106AMB2BK	Ecler MP106AMB2 is a cluster hardware for 2 eAMBIT106 units. Black color	6 142 Ft	7 800 Ft
CMP106AMB2WH	MP106AMB2WH	Ecler MP106AMB2 is a cluster hardware for 2 eAMBIT106 units. White color	6 142 Ft	7 800 Ft
CMP106AMB3	MP106AMB3BK	Ecler MP106AMB3 is a cluster hardware for 3/6 eAMBIT106 units. Black color	14 488 Ft	18 400 Ft
CMP106AMB3WH	MP106AMB3WH	Ecler MP106AMB3 is a cluster hardware for 3/6 eAMBIT106 units. White color	14 488 Ft	18 400 Ft
CMP106AMB4	MP106AMB4BK	Ecler MP106AMB4 is a cluster hardware for 4 eAMBIT106 units. Black color	21 260 Ft	27 000 Ft
CMP106AMB4WH	MP106AMB4WH	Ecler MP106AMB4 is a cluster hardware for 4 eAMBIT106 units. White color	21 260 Ft	27 000 Ft
CMP106NEST2	MP106NEST2	Ecler MP106NEST2 is a 2 NEST106 units wall mount bracket.	13 701 Ft	17 400 Ft
CMP106NEST3	MP106NEST3	Ecler MP106NEST3 is a 3 NEST106 units corner/column mount bracket.	16 693 Ft	21 200 Ft
CMP106NEST4	MP106NEST4	Ecler MP106NEST4 is a 4 NEST106 units ceiling bracket (half sphere configuration).	25 039 Ft	31 800 Ft
CMSTANDAUEO	MSTANDAUEO	Ecler MSTANDAUEO allows to mount an AUDEO loudspeaker on a standard microphone stand. (microphone stand not included)	8 346 Ft	10 600 Ft
CPCS124	PCS124	Ecler PCS124 is a cluster ceiling accessory for acoustic cabinets such as eMOTUS, AUDEO or TRAIL103. It allows adjusting to space requirements and providing uniform sound distribution placing 1,2,3 or 4 speakers in the cluster. It features a 35 cm hollow bar allowing easier and faster cabling with perfect adjustment. This elegant installation solution fits outdoor and indoor applications. Available in black and white.	14 882 Ft	18 900 Ft
CCOLORPAINT	COLORPAINT	COLORPAINT: launching of painting loudspeakers in a colour (RAL). There is no charge for launching when painting a minimum of 100 units in the same RAL colour.	44 724 Ft	56 800 Ft
CPAINT1S	PAINT1S	UNTPAINT1: painting by unit when there are less than 10 units.	7 402 Ft	9 400 Ft
CPAINT10S	PAINT10S	UNTPAINT10: painting by unit when there are less than 10 units and with a maximum of 99 units.	3 701 Ft	4 700 Ft

Cikkszám	Típus	Leírás	N. listaár	Br. listaár
CPKIC6	PKIC6	Ecler PKIC6 is an accessory for personalizing the IC6 ceiling loudspeaker. The kit includes a grille that can be painted (with the appearance of the IC6CLASS) and an accessory (anchor ring) to mount this grille on the IC6. Easy to paint and mount.	7 402 Ft	9 400 Ft
CPKIC8	PKIC8	Ecler PKIC8 is an accessory to personalize the IC8 ceiling loudspeaker. The kit includes a grille that can be painted (with the appearance of the IC6CLASS) and an accessory (anchor ring) to mount this grill on the IC8. Easy to paint and mount.	7 402 Ft	9 400 Ft
CPKICSB10	PKICSB10	Ecler PKICSB10 is an accessory to personalize the ICSB10 ceiling loudspeaker. The kit includes a grille that can be painted and an accessory (magnets) to mount this grille on the ICSB10. Easy to paint and mount.	7 402 Ft	9 400 Ft
CPOLE01	POLE01	Ecler POLE01 is an adjustable 35 mm rod for pole for loudspeaker mount on top of a sub-woofer unit (ARQIS110 on top of ARQISSB15, VERSO series on top of VERSO SB115P, etc.).	11 417 Ft	14 500 Ft
CSR6	SR6	Ecler SR6 is a wall mount bracket for MP106AMB2 (cluster hardware for 2 x eAMBIT106). Black color	17 480 Ft	22 200 Ft
CSR6WH	SR6	Ecler SR6 is a wall mount bracket for MP106AMB2 (cluster hardware for 2 x eAMBIT106). White color	17 480 Ft	22 200 Ft
CSR8	SR8	Ecler SR8 is a wall mount bracket for VERSO8, VERSO8P, VERSO10 and VERSO10P	19 685 Ft	25 000 Ft
CSR12	SR12	Ecler SR12 is a mount bracket for VERSO12, VERSO12P, ARQIS110 and ARQIS112 loudspeakers. Delivered by master carton of 2 units. Price per unit.	8 110 Ft	10 300 Ft
CSRDA BK	SRDA BK	Ecler SRDA is a ceiling mount bracket for simple ceiling installation, compatible with ARQIS205 and ARQIS208. Facilitates direction of the loudspeaker. Black color	6 850 Ft	8 700 Ft
CSRDA WH	SRDA WH	Ecler SRDA is a ceiling mount bracket for simple ceiling installation, compatible with ARQIS205 and ARQIS208. Facilitates direction of the loudspeaker. White color	6 850 Ft	8 700 Ft
CTRIP01	TRIP01	Loudspeaker floor stand with 35 MM pole. Delivered by master carton of 2 units. Price per unit.	13 465 Ft	17 100 Ft
	Jelmagyarázat:	Újdonság, Kifutó termék		